



6-5-02 10051855.0600000

(12)

#3

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Khosravi et al.

Examiner: Unknown

Serial No.: 10/051,855

Group Art Unit: 3731

Filed: January 16, 2002

Docket No.: 1001.1502116

For: VASCULAR FILTER HAVING ARTICULATION REGION AND METHODS  
OF USE IN THE ASCENDING AORTA

**TRANSMITTAL SHEET**

Assistant Commissioner for Patents  
Washington, D.C. 20231

Sir:

**CERTIFICATE UNDER 37 C.F.R. 1.10:** The undersigned hereby certifies that this paper or papers, as described herein, are being deposited in the United States Postal Service, "Express Mail Post Office to Addressee" having an Express Mail mailing label number of: EL799291420US, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C., 20231 on this 3rd day of June, 2002.

By

JoAnn Lindman

We are transmitting herewith the attached:

- [X] Notice to File Corrected Application Papers -- Part 2.
- [X] Seven (7) sheets of formal drawings.
- [X] Postcard receipt.
- [X] Please charge any deficiencies or credit any overpayment in the enclosed fees to Deposit Account No. 50-0413.

By:

Glenn M. Seager, Reg. No. 36,926

CROMPTON, SEAGER & TUFTE, LLC  
331 Second Avenue South  
Suite 895  
Minneapolis, Minnesota 55401-2246  
Telephone: (612) 677-9050  
Facsimile: (612) 359-9349



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/051,855	01/16/2002	Farhad Khosravi	1001.1502116

CONFIRMATION NO. 3331

## FORMALITIES LETTER



\*OC000000007795885\*

Glenn M. Seager  
CROMPTON, SEAGER & TUFTE, LLC  
Suite 895  
331 Second Avenue South  
Minneapolis, MN 55401

Date Mailed: 04/04/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

*NY*  
\_\_\_\_\_  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE